

SWEET PEPPERS FOR THE WEST COAST

PNW Pacific North West

DSW Desert Southwest

Central Coast

SJV San Joaquin Valley

High Tunnel

VARIETY	ТҮРЕ	REGION/ GROWING METHOD	RELATIVE MATURITY*	FRUIT SIZE/SHAPE	FRUIT COLOR	PLANT HABIT	DISEASE RESISTANCE	USES & REMARKS
Double Up	Bell	PNW CC	Mid-early	Large, XL/Blocky	ф	Medium-large, good cover	HR: Tm: 0 / X spp: 0-3, 5, 7, 8	Great performer for multiple seasons with excellent yield potential; fresh market
NEW Shasta	Bell	PNW DSW CC SJV	Mid-early	XL/Blocky	••	Large, good cover	HR: Tm: 0 / X spp: 0-3, 7, 8, IR: Pc	Shasta is a widely adaptable dual-purpose variety, for fresh and processing markets. It has a vigorous plant that provides strong cover and high yield potential; fresh & processing markets
Takara	Shishito	PNW DSW CC SJV	Very early	Small/Elongated	11	Compact, well branched		Takara is a classic Japanese Shishito type pepper that have small thin walled fruit, typically harvested at mature green; fresh market
Lemon Delite	Snacking	PNW DSW CC SJV	Very early	Medium, large/Flat, conical		Compact, good cover, medium, tall, vigorous, short internodes	HR: Tm: 0 / X spp: 0-3, 7, 8	Lemon Delite has a mid-strong vigorous plant with good cover and continuous setting ability; fresh market
Golden Delite S10®	Snacking	PNW DSW CC SJV	Early	Large, XL/Elongated	6	Moderate plants with good cover, extended harvest types	HR: Tm: 0 IR: TSWV: 0 / X spp: 0-10	Golden Delite S10® is widely adapted, with a strong disease package for crop security & ability to set in many climates; fresh market
Orange Delite	Snacking	PNW DSW CC SJV	Very early	Medium, large/Flat, conical		Compact, good cover, medium, tall, vigorous, short internodes	HR: Tm: 0 / X spp: 0-3, 7, 8	Orange Delite has a mid-strong vigorous plant with good cover and continuous setting ability.
Amber Delite S10®	Snacking	PNW DSW CC SJV	Early	Large, XL/Elongated		Moderate plants with good cover, extended harvest types	HR: Tm: 0 IR: TSWV: 0 / X spp: 0-10	Amber Delite \$10® is widely adapted, with a strong disease package for crop security & ability to set in many climates; fresh market
Ruby Delite	Snacking	PNW DSW CC SJV	Very early	Medium, large/Flat, conical		Compact, good cover, medium, tall, vigorous, short internodes	HR: Tm: 0 / X spp: 0-3, 7, 8	Ruby Delite has a mid-strong vigorous plant with good cover and continuous setting ability.
Crimson Delite S10®	Snacking	PNW DSW CC SJV	Early	Large, XL/Elongated		Moderate plants with good cover, extended harvest types	HR: Tm: 0 IR: TSWV: 0 / X spp: 0-10	Crimson Delite S10® is widely adapted, with a strong disease package for crop security & ability to set in many climates; fresh market

Disease Terminology: HR = High Resistance; IR = Intermediate Resistance; IR = Intermediate Resistance Disease Abbreviation Code: Lt - Powdery mildew | Mi - Root-knot | Pc - Phytophthora crown and root rot | PVY - Potato virus Y | Tm - Tobamovirus | TSWV - Tomato spotted wilt | X spp - Bacterial spot

* Relative Maturity are an approximation and may fluctuate due to varying planting times, location and condition

\$10@ - Signifies intermediate resistance to all 10 races of bacterial leaf spot in pepper. Bacterial spot of tomato and pepper is caused by four bacterial species (Xanthomonas euvesicatoria, X. vesicatoria, X. perforans, and X. gardneri). Of the four species, X. euvesicatoria appears to be the main causal agent for bacterial spot of pepper. At this time, 10 races of the pathogen have been identified on pepper. Because of the difficulty in differentiating the bacterial species with non-DNA based methods, the seed industry currently recognizes the causal agent by its former scientific name of Xanthomonas capestris pv. vesicatoria prior to its reclassification.

DISCLAIMER: Any representations and other disclosed information are based on our observations and/or information from other sources. Crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, the environment, including management, and other uncontrollable factors that may alter expected performance. Triploid watermelon varieties will on occasion produce white and hard, dark vestigial seed coats and, therefore, are not warranted to be completely "seedless", Statements on the reaction, of varieties to a specific pathogen, pest or stress are based on evaluation under defined conditions. These reactions can be affected by changes in environmental and biological factors, especially new pathogen races, pest biotypes or vectors of disease agents. Therefore, Sakata gives no warrantion given; nor does Sakata accept any liability for any loss, direct, indirect, or consequential, that may arise from any cause. Please read all seed package labeling carefully as it continues terms and conditions of sale.