



SWEET PEPPERS FOR THE WEST COAST

- PNW Pacific North West
- DSW Desert Southwest
- CC Central Coast
- SJV San Joaquin Valley
- HT High Tunnel

VARIETY	TYPE	REGION/ GROWING METHOD	RELATIVE MATURITY*	FRUIT SIZE/SHAPE	FRUIT COLOR	PLANT HABIT	DISEASE RESISTANCE	USES & REMARKS
Double Up	Bell	● ●	Mid-early	Large, XL/Blocky		Medium-large, good cover	HR: Tm: 0 / X spp: 0-3, 5, 7, 8	Great performer for multiple seasons with excellent yield potential; fresh market.
NEW Shasta	Bell	● ● ● ●	Mid-early	XL/Blocky		Large, good cover	HR: Tm: 0 / X spp: 0, 1, 4, 7, 9 / PVY: 0 IR: TSWV	Shasta is a widely adaptable dual-purpose variety, for fresh and processing markets. It has a vigorous plant that provides strong cover and high yield potential; fresh & processing markets.
Takara	Shishito	● ● ● ●	Very early	Small/Elongated		Compact, well branched		Takara is a classic Japanese Shishito type pepper that have small thin walled fruit, typically harvested at mature green; fresh market.
NEW Tenaya	Bell	● ●	Mid-early	Large, XL/Blocky		Compact, good cover	HR: Tm: 0 / X spp: 0-3, 7, 8 IR: TSWV: 0	Tenaya is a high-yielding variety with a concentrated set, good for both green and red harvests. It has a compact plant with broad leaves, delivering thick-walled, heavy blocky fruit; fresh & processing markets.
Lemon Delite	Snacking	● ● ● ● ●	Very early	Medium, large/Flat, conical		Compact, good cover, medium, tall, vigorous, short internodes	HR: Tm: 0 / X spp: 0-3, 7, 8	Lemon Delite has a mid-strong vigorous plant with good cover and continuous setting ability; fresh market.
NEW Golden Delite S10®	Snacking	● ● ● ● ●	Early	Large, XL/Elongated		Moderate plants with good cover, extended harvest types	HR: Tm: 0 IR: TSWV: 0 / X spp: 0-10	Golden Delite S10® is widely adapted, with a strong disease package for crop security & ability to set in many climates; fresh market.
Orange Delite	Snacking	● ● ● ● ●	Very early	Medium, large/Flat, conical		Compact, good cover, medium, tall, vigorous, short internodes	HR: Tm: 0 / X spp: 0-3, 7, 8	Orange Delite has a mid-strong vigorous plant with good cover and continuous setting ability.
NEW Amber Delite S10®	Snacking	● ● ● ● ●	Early	Large, XL/Elongated		Moderate plants with good cover, extended harvest types	HR: Tm: 0 IR: TSWV: 0 / X spp: 0-10	Amber Delite S10® is widely adapted, with a strong disease package for crop security & ability to set in many climates; fresh market.
Ruby Delite	Snacking	● ● ● ● ●	Very early	Medium, large/Flat, conical		Compact, good cover, medium, tall, vigorous, short internodes	HR: Tm: 0 / X spp: 0-3, 7, 8	Ruby Delite has a mid-strong vigorous plant with good cover and continuous setting ability.
NEW Crimson Delite S10®	Snacking	● ● ● ● ●	Early	Large, XL/Elongated		Moderate plants with good cover, extended harvest types	HR: Tm: 0 IR: TSWV: 0 / X spp: 0-10	Crimson Delite S10® is widely adapted, with a strong disease package for crop security & ability to set in many climates; fresh market.

Disease Terminology: HR = High Resistance; IR = Intermediate Resistance **Disease Abbreviation Code:** Lt - Powdery mildew | Mi - Root-knot | Pc - Phytophthora crown and root rot | PVY - Potato virus Y | Tm - Tobamovirus | TSWV - Tomato spotted wilt | X spp - Bacterial spot
 *Relative Maturity are an approximation and may fluctuate due to varying planting times, location and condition

S10® - Signifies intermediate resistance to all 10 races of bacterial leaf spot in pepper. Bacterial spot of tomato and pepper is caused by four bacterial species (Xanthomonas euvesicatoria, X. vesicatoria, X. perforans, and X. gardneri). Of the four species, X. euvesicatoria appears to be the main causal agent for bacterial spot of pepper. At this time, 10 races of the pathogen have been identified on pepper. Because of the difficulty in differentiating the bacterial species with non-DNA based methods, the seed industry currently recognizes the causal agent by its former scientific name of Xanthomonas capestris pv. vesicatoria prior to its reclassification.

DISCLAIMER: Any representations and other disclosed information are based on our observations and/or information from other sources. Crop performance depends on the interaction between the genetic potential of the seed, its physiological characteristics, the environment, including management, and other uncontrollable factors that may alter expected performance. Triploid hybrid watermelon varieties will on occasion produce white and hard, dark vestigial seed coats and, therefore, are not warranted to be completely "seedless". Statements on the reaction of varieties to a specific pathogen, pest or stress are based on evaluation under defined conditions. These reactions can be affected by changes in environmental and biological factors, especially new pathogen races, pest biotypes or vectors of disease agents. Therefore, Sakata gives no warranty, express or implied, for crop performance relative to the information given; nor does Sakata accept any liability for any loss, direct, indirect, or consequential, that may arise from any cause. Please read all seed package labeling carefully as it contains terms and conditions of sale.